| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|--------|-----------------------------------------------------------------------------------------|-------|---------------------|---------|------------------|
| S1 | 136 | 713/168.cor. | USPAT | OR | OFF | 2007/01/25 14:34 |
| S2 | 0 | schnizlein near john | USPAT | OR | OFF | 2005/05/06 13:00 |
| S3 | 9 | droms near ralph | USPAT | OR | OFF | 2005/05/06 13:03 |
| S4 | 76 | second WITH request WITH authenticat\$ WITH server | USPAT | OR | ON | 2005/05/06 13:08 |
| S5 | 24 | (second near request) WITH authenticat\$ WITH server | USPAT | OR | ON | 2005/05/06 13:08 |
| S6 | 3 | S5 same (proxy or intermediate or gateway) | USPAT | OR | ON | 2005/05/06 13:12 |
| S7 . | 1 | S6 same (network near address) | USPAT | OR | ON | 2005/05/06 13:09 |
| S8 | 1 | S6 and (network near address) | USPAT | OR | ON | 2005/05/06 13:11 |
| S9 | 16 | discover\$ near network near address | USPAT | OR | ON | 2005/05/06 13:11 |
| S10 | 3556 | (pool or list) near address | USPAT | OR | ON | 2005/05/06 13:11 |
| S11 | 6 | S9 and S10 | USPAT | OR | ON | 2005/05/06 13:11 |
| S12 | 3 | S11 and (authoriz\$ or authenticat\$) | USPAT | OR | ON | 2005/05/06 13:12 |
| S13 | 2 | S12 and (proxy or intermediate or gateway) | USPAT | OR | ON | 2005/05/06 13:43 |
| S14 | 2 | S13 and MAC | USPAT | OR | ON | 2005/05/06 13:38 |
| S15 | 17555 | davis.in. | USPAT | OR | ON | 2005/05/06 13:38 |
| S16 | 2 | S15 and (middle near tier) | USPAT | OR | ON | 2005/05/06 13:39 |
| S17 | . 64 | proxy WITH server WITH authenticat\$ WITH client | USPAT | OR . | ON | 2005/05/06 13:41 |
| S18 | 5 | S17 same profile | USPAT | OR | ON · | 2005/05/06 13:40 |
| S19 | 0 | S17 same (client near network near address) | USPAT | OR | ON | 2005/05/06 13:41 |
| S20 | 3 | S17 and (client near network near address) | USPAT | OR | ON | 2005/05/06 13:41 |
| S21 | 11 | (proxy or intermediate or gateway) WITH authenticat\$ WITH (network near address) | USPAT | OR | ON | 2005/05/06 14:02 |
| S22 | 81 | provid\$ WITH (client near address) | USPAT | OR | ON | 2005/05/06 14:01 |
| S23 | 0 | S17 and S22 | USPAT | OR | ON | 2005/05/06 14:01 |
| S24 | 785483 | (proxy or intermediate or gateway) | USPAT | OR | ON | 2005/05/06 14:02 |
| S25 | 45 | S22 and S24 | USPAT | OR | ON | 2005/05/06 14:02 |
| S26 | 12 | S25 and authenticat\$ | USPAT | OR | ON | 2005/05/06 14:03 |
| S27 | 19498 | server WITH provid\$ (network near address) | USPAT | OR | ON | 2005/05/09 11:35 |
| S28 | 4250 | S27 and authenticat\$ | USPAT | OR | ON | 2005/05/09 11:32 |

| | · · · · · · · · · · · · · · · · · · · | | | | , | |
|-----|---------------------------------------|---------------------------------------------------------------------------|-------|------|---------|------------------|
| S29 | 762 | S28 and (user near profile) | USPAT | OR | ON | 2005/05/09 13:09 |
| S30 | 160 | S29 and (request\$ near authenticat\$) | USPAT | OR | ON | 2005/05/09 11:32 |
| S31 | 28 | S30 and (response near authenticat\$) | USPAT | OR | ON | 2005/05/09 11:28 |
| S32 | 186 | server WITH provid\$ WITH (network near address) | USPAT | OR | ON · | 2005/05/09 11:35 |
| S33 | . 80 | S32 and authenticat\$ | USPAT | ·OR | ON | 2005/05/09 11:35 |
| S34 | 11 | S33 and (request\$ near authenticat\$) | USPAT | OR | ON | 2005/05/09 11:35 |
| S35 | 2 | S34 and (user near profile) | USPAT | OR | ON | 2005/05/09 11:36 |
| S36 | 12253 | server WITH assign\$ (network near address) | USPAT | OR . | ON | 2005/05/09 11:35 |
| S37 | 215 | server WITH assign\$ WITH (network near address) | USPAT | OR | ON | 2005/05/09 13:47 |
| S38 | 72 | S37 and authenticat\$ | USPAT | OR | ON | 2005/05/09 11:35 |
| S39 | 20 | S38 and (request\$ near authenticat\$) | USPAT | OR | ON | 2005/05/09 13:09 |
| S40 | 3 | S39 and (user near profile) | USPAT | OR. | ON | 2005/05/09 11:36 |
| S41 | 1420 | (request\$ near authenticat\$) | USPAT | OR | ON | 2005/05/09 13:09 |
| S42 | 212 | S41 and (user near profile) | USPAT | OR | ON | 2005/05/09 13:09 |
| S43 | 212 | S42 and (response near message near indicat\$ (user or group)) | USPAT | OR | ON | 2005/05/09 13:10 |
| S44 | 0 | S42 and (response near message near indicat\$ near (user or group)) | USPAT | OR | ON | 2005/05/09 13:10 |
| S45 | 21 | S42 and (response WITH message WITH indicat\$ WITH (user or group)) | USPAT | OR | ON | 2005/05/09 13:27 |
| S46 | 57 | S42 and (response near message) | USPAT | OR | ON | 2005/05/09 13:27 |
| S47 | 123 | message WITH assign\$ WITH (network near address) | USPAT | OR | .ON | 2005/05/09 13:47 |
| S48 | 30 | S47 and authenticat\$ | USPAT | OR | ON | 2005/05/09 13:47 |
| S49 | 18 | S48 and (provid\$ WITH address) | USPAT | OR | ON | 2005/05/09 13:53 |
| S50 | 872 | authenticat\$ near3 connection | USPAT | OR | ON | 2005/05/09 13:54 |
| S51 | ·5 | S37 and S50 | USPAT | OR | ON | 2005/05/09 14:16 |
| S52 | 0 | S51 and accounting | USPAT | OR | ON | 2005/05/09 13:55 |
| S53 | 159 | radius near server | USPAT | OR | ON | 2005/05/09 14:16 |
| S54 | 40 | S53 same authenticat\$ same account\$ | USPAT | OR | ON | 2005/05/09 14:16 |
| S55 | 0 | S54 same advantag\$ | USPAT | OR | ON | 2005/05/09 14:17 |
| S56 | 10 | S53 same (AAA near server) | USPAT | OR | ON | 2005/05/09 14:24 |

| | , | · · · · · · · · · · · · · · · · · · · | | | | |
|------|--------------|-----------------------------------------------------------|-------|-----------|----|------------------|
| S57 | . 2 | advantag\$ near (AAA near server) | USPAT | OR | ON | 2005/05/09 14:22 |
| S58 | 0 | advantag\$ WITH (AAA near server) WITH radius | USPAT | OR | ON | 2005/05/09 14:22 |
| S59 | 56 | radius WITH AAA | USPAT | OR | ON | 2005/05/09 14:42 |
| S60 | 0 | S59 same advantag\$ | USPAT | OR | ON | 2005/05/09 14:24 |
| S61 | 2 | IEEE near "802.1x" | USPAT | OR | ON | 2005/05/09 14:44 |
| S62 | 3 | IEEE with "802.1x" | USPAT | OR | ON | 2005/05/09 14:55 |
| S63 | 7 | "802.1x" | USPAT | OR | ON | 2005/05/09 14:57 |
| S64 | 0 | ethernet WITH (encryption near key) WITH (time near slot) | USPAT | OR | ON | 2005/05/09 14:58 |
| S65 | 3 | ethernet WITH (encryption near key) | USPAT | OR | ON | 2005/05/09 14:58 |
| S66 | 0 | S65 same (time near slot) | USPAT | OR | ON | 2005/05/09 14:58 |
| S67 | 1 | S65 and (time near slot) | USPAT | OR | ON | 2005/05/09 15:20 |
| S68 | 1 | "5987454".pn. | USPAT | OR | ON | 2005/05/09 15:29 |
| S69 | 1 | S68 and authenticat\$ | USPAT | OR | ON | 2005/05/09 15:29 |
| S70 | 1 | S68 and network near address | USPAT | OR | ON | 2005/05/09 15:22 |
| S71 | 1 | "6553568".pn. | USPAT | OR | ON | 2005/05/09 15:41 |
| S72 | 1 | S71 and authenticat\$ | USPAT | OR | ON | 2005/05/09 15:41 |
| S73 | 1 | S71 and media | USPAT | OR | ON | 2005/05/09 15:33 |
| S74 | 1 | "6405253".pn. | USPAT | OR | ON | 2005/05/09 15:41 |
| S75 | 1 | S74 and authenticat\$ | USPAT | OR | ON | 2005/05/09 15:41 |
| ,S76 | 30 | authenticat\$ WITH physical WITH connection | UȘPAT | OR | ON | 2005/10/27 09:41 |
| S77 | 20 | S76 and address | USPAT | OR | ON | 2005/10/26 15:00 |
| S78 | 30 | authenticat\$ WITH physical WITH connection | USPAT | OR | ON | 2005/10/27 09:41 |
| S79 | 20 | S78 and address | USPAT | OR | ON | 2005/10/27 09:53 |
| S80 | 10 | S79 and wireless | USPAT | OR | ON | 2005/10/27 09:42 |
| S81 | 4 | S79 and dhcp | USPAT | OR | ON | 2005/10/27 09:42 |
| S82 | 1 | "6041166".pn. | USPAT | OR | ON | 2005/10/27 09:55 |
| S83 | 141 | relay WITH authenticat\$ | USPAT | OR | ON | 2005/10/27 09:55 |
| S84 | 1 | S83 same (physical near connect\$) | USPAT | OR | ON | 2005/10/27 09:58 |
| S85 | 0 | S84 and encrypt\$ | USPAT | OR | ON | 2005/10/27 09:57 |
| S86 | 1 | S84 and key | USPAT | OR | ON | 2005/10/27 09:57 |
| S87 | 1 | S84 and authenticat\$ | USPAT | OR | ON | 2005/10/27 09:58 |
| S88 | 13 | S83 and (physical\$ near connect\$) | USPAT | OR | ON | 2005/10/27 10:12 |
| S89 | . 7 | S88 and radius | USPAT | OR | ON | 2005/10/27 10:33 |

| S90 | 1 | "6667971".pn. | USPAT | OR | ON | 2005/10/27 10:33 |
|----------|-----|---------------------------------------------------------------|---------------------------------------------|----|----|------------------|
| S91 | 1 | S90 and physical | USPAT | OR | ON | 2005/10/27 10:37 |
| S92 | 1 | S90 and radius | USPAT | OR | ON | 2005/10/27 10:39 |
| S93 | 0 | S90 and encrypt\$ | USPAT | OR | ON | 2005/10/27 10:39 |
| S94 | 1 | "6667971".pn. | USPAT | OR | ON | 2006/04/27 17:37 |
| S95 | 0 | S94 and dhcp | USPAT | OR | ON | 2006/04/27 15:07 |
| S96 | 617 | dhcp near server | USPAT | OR | ON | 2006/04/27 15:08 |
| S97 | 184 | dhcp near3 message | USPAT | OR | ON | 2006/04/27 15:07 |
| S98 | 158 | S96 and S97 | USPAT | OR | ON | 2006/04/27 15:07 |
| S99 | 613 | dhcp with network with address | USPAT | OR | ON | 2006/04/27 15:08 |
| S10 0 | 127 | S98 and S99 | USPAT | OR | ON | 2006/04/27 15:08 |
| S10 1 | 6 | S100 and (router WITH authenticat\$) | USPAT | OR | ON | 2006/04/27 15:41 |
| S10 2 | 151 | authentication with authorization with accounting WITH server | USPAT | OR | ON | 2006/04/27 15:38 |
| S10 3 | 27 | S96 and S102 | USPAT | OR | ON | 2006/04/27 15:38 |
| S10 4 | . 4 | S103 and (router WITH authenticat\$) | USPAT | OR | ON | 2006/04/27 15:44 |
| S10 5 | 3 | S104 and group | USPAT | OR | ON | 2006/04/27 15:44 |
| S10 6 | 1 | "6894994".pn. | USPAT | OR | ON | 2006/04/27 17:37 |
| S10 7 | 0 | S106 and (dhcp WITH network with address) | USPAT | OR | ON | 2006/04/27 17:37 |
| S10 8 | . 1 | S106 and (dhcp with address) | USPAT | OR | ON | 2006/04/27 17:40 |
| S10 9 | 1 | S106 and authenticat\$ | USPAT | OR | ON | 2006/04/27 17:54 |
| S11 0 | 1 | S106 and radius | USPAT | OR | ON | 2006/04/27 17:55 |
| S11 1 | 0 | S106 and wireless with key | USPAT | OR | ON | 2006/04/27 17:56 |
| S11 2 | 1 | S106 and key | USPAT | OR | ON | 2006/04/27 17:56 |
| S11 3 | 502 | router near3 authenticat\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/08/14 17:07 |

| | | | - | | | |
|----------|------|------------------------------------------------------|---------------------------------------------|----|----|------------------|
| S11 4 | 201 | DHCP near relay | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/08/14 17:08 |
| S11 5 | 12 | S113 and S114 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/08/15 10:10 |
| S11 6 | . 2 | "20020016858".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/08/15 10:23 |
| S11 7 | 1 | S116 and account\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/08/15 10:10 |
| S11 8 | 1105 | AAA adj server | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/08/15 10:10 |
| S11 9 | 954 | S118 not cisco | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/08/15 10:11 |
| S12 0 | 39 | S118 WITh advantag\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/25 13:23 |
| S12 1 | 35 | S120 not cisco | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/08/15 10:11 |
| S12 2 | 2 | "20020026573".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/08/15 10:26 |
| S12 3 | . 1 | S122 and radius | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/08/15 10:26 |
| S12 4 | 119 | router WITH (verif\$ authenticat\$) WITH password | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/25 13:37 |
| S12 5 | 7058 | dhcp ("dynamic host configuration protocol") | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/25 13:24 |

| S12 6 | 19 | S124 and S125 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/25 13:24 |
|----------|------|--------------------------------------|---------------------------------------------|----|----|------------------|
| S12 7 | 2393 | router WITH (verif\$ authenticat\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/25 13:37 |
| S12 8 | 404 | S125 and S127 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/25 13:37 |
| S12 9 | 867 | router near3 (verif\$ authenticat\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/25 13:37 |
| S13 0 | 168 | S125 and S129 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/25 13:37 |